FLOS

F0290000 Black

Noctambule Floor 3 Low Cylinder Small Base


Designed by Konstantin Grcic, 2019



36W - 1057lm - 2700K

Floor lamp emitting diffused light. Composed of interconnecting transparent blown-glass cylinders, supported by a large die-cast aluminium base for enhanced stability. Cylinders can be topped with a conical or semi-spherical shaped diffuser. Features hydroformed steel internal arms and injection-moulded optical opal silicone outer-ring diffusers. Supplied with pedal dimmer for 10–100% light adjustment. Wall-mounted power supply unit with interchangeable plugs included.

Designed by Konstantin Grcic, Noctambule takes its name from the French word for a 'night owl'. By day, its transparent glass cylinders almost disappear into their surroundings. At night, LED rings at the intersections bring the lamp to life, creating luminous columns of light that can grow from three modules to towering heights. A masterful balance of restraint and drama, Noctambule is both system and sculpture, revealing its true character only when illuminated. Noctambule has received multiple design accolades.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607000885
Mounting	Floor
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	36
Lumen Output (lm)	1057

Physical

Colour	Black
Length (mm)	250
Cord colour	Black
Cord length (mm)	1800
Net weight (kg)	17.3
Package volume (m3)	0.24
IP internal	20

Download

Mounting instructions PDF

Mounting instructions PDF

Mounting instructions PDF

Photometric Files

LDT / IES ZIP

Technical Drawings

3D ZIP

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Photometric


Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **E**



Replaceable (LED only) light source by a professional




Replaceable control gear by an end-user

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



03.	Noctambule Floor Terminal cap	F0293030
04.	Fixing screws kit	RF0254100
05.	Ring led diffuser	RF27498
06.	Noctambule Low Cylinder	F0254000
07.	Black plug assembly kit & 48V driver	RF6600130
08.	Noctambule switch dimmer assembly (with EMC filter)	RF37082
09.	Noctambule Floor Small base	F0261030
10.	Noctambule F n°5 adjustable feet kit	RF0254200

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



F0293030

Noctambule Floor Terminal cap



RF0254100

Fixing screws kit



RF27498

Ring led diffuser



F0254000

Noctambule Low Cylinder



RF6600130

Black plug assembly kit & 48V driver



RF37082

Noctambule switch dimmer assembly (with EMC filter)



F0261030

Noctambule Floor Small base



RF0254200

Noctambule F n°5 adjustable feet kit

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.