FLOS

F1860044 Anodized Champagne

# Coordinates Suspension 1


Designed by Michael Anastassiades, 2020



37W - 1920lm - 2700K - CRI> 95

Suspension lighting system emitting diffused light. Composed of horizontal and vertical luminaires arranged in a grid. Elements made of extruded anodised aluminium with a platinum optical silicone diffuser housing an integrated LED strip. Invisible electrical and mechanical connection with 2.4 m cables. Each configuration includes a ceiling rose with integrated electronics for push, 1–10 V or DALI dimming.

Designed by Michael Anastassiades, Coordinates Suspension translates the collection's illuminated grid into a series of suspended compositions. Evolving from a commission for the historic Four Seasons restaurant in New York, Coordinates takes inspiration from the Cartesian grid, translating pure mathematical precision into light. Its modular, scalable system allows configurations ranging from minimal arrangements to complex installations. Elegant, imposing and expressive, it brings geometry to life within any space.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

## Download

Mounting instructions PDF

## Photometric Files

ULD ZIP

## Technical Drawings

3D ZIP

## Main specifications

| | |
|---|---|
| EAN | 8059607001707 |
| Mounting | Suspension |
| Environments | Indoor dry location |
| Light source type | LED |
| Light sources included | Yes |
| LED type | LED Module |
| Power (W) | 37 |
| Lumen Output (lm) | 1920 |

## Physical

| | |
|---|---|
| Colour | Anodized Champagne |
| Length (mm) | 780 |
| Cord colour | Clear |
| Cord length (mm) | 2400 |
| Canopy length/diameter (mm) | 149 |
| Canopy height (mm) | 71 |
| Net weight (kg) | 2.2 |
| Package volume (m3) | 0.02 |
| IP internal | 20 |



©2026 Flos - P.IVA 00290820174 - 10/31/2026



In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

## Photometric


| | |
|---|---|
| Lighting type | Total |
| Light distribution | Asymmetric |
| CCT (K) | 2700 |
| CRI> | 95 |
| Extreme cut off | No |

## Electrical

| | |
|---|---|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 120-240 |
| Power supply | Integrated |
| Dimmable | Yes |
| Power supply type | Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**




Replaceable (LED only) light source by a professional




Replaceable control gear by a professional



©2026 Flos - P.IVA 00290820174 - 10/31/2026


In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

# Spare Parts




| | | |
|---|---|---|
| 00. | Push button and cables assembly for dimmer | RF27318 |
| 01. | Power supply kit for Arrangements small & Noctambule | RF0410500 |
| 02. | Led dimmer kit | RF34197 |
| 03. | Coordinates S Ceiling rose cover Anodized Champagne | RF1872144 |
| 04. | Rod Assembly L780 SA-15 Anodized Champagne | RF31429 |
| 05. | Coordinates Suspension 1 Rod assembly L780 H-06 champagne | RF31373 |
| 06. | Coordinates Suspension 3 Rod Assembly L780 SH-03 Anodized Champagne | RF31372 |



©2026 Flos - P.IVA 00290820174 - 10/31/2026


In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF27318

Push button and cables assembly for dimmer



RF0410500

Power supply kit for Arrangements small & Noctambule



RF34197

Led dimmer kit



RF1872144

Coordinates S Ceiling rose cover Anodized Champagne



RF31429

Rod Assembly L780 SA-15 Anodized Champagne



RF31373

Coordinates Suspension 1 Rod assembly L780 H-06 champagne



RF31372

Coordinates Suspension 3 Rod Assembly L780 SH-03 Anodized Champagne



©2026 Flos - P.IVA 00290820174 - 10/31/2026



In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.