FLOS

F6392035 Brick Red

Skynest Suspension


Designed by Marcel Wanders, 2022



78W - 1932lm - 2700K - CRI> 90

Suspension lamp emitting diffused light. Dome structure in polyester mesh made from recycled and recyclable fabric with luminous and dark elements powered by micro-connectors. Equipped with integrated balancing system and aluminium ring for snap-fit assembly. Glue-free construction for disassembly and recycling. Painted plastic ceiling rose with integrated electronics for 0–10/1–10 V, DALI and PUSH dimming systems.

Designed by Marcel Wanders, Skynest draws on the tradition of handcrafted weaving to replace the typical lampshade with something unexpected and expressive. The result is a lamp that feels both familiar and futuristic, created from textile-covered LED strips woven into a glowing network with the basket itself as the source of light. Made without glue and using recycled materials, it reflects a commitment to longevity and circular design. Its name evokes a floating nest of light suspended in the air, a poetic image for a piece that blurs the line between industry, technology and craft.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Download

Mounting instructions PDF

Photometric Files

LDT / IES ZIP

Technical Drawings

2D ZIP

3D ZIP

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Main specifications


EAN	8059607051986
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	78
System power (W)	78
Lumen Output (lm)	1932

Physical


Colour	Brick Red
Length (mm)	904
Cord colour	Red
Cord length (mm)	2700
Canopy colour	Brick Red
Canopy length/diameter (mm)	216
Canopy height (mm)	51
Net weight (kg)	3.8
Package height (mm)	250
Package width (mm)	1000
Package length (mm)	1000
Package volume (m3)	0.25
IP internal	20

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by an end-user



Replaceable control gear by a professional

Schematic light drawing



Luminous flux luminaire
1932 lm

Beam Angle: 106°

h(m)	E(lx)	D(m)
1	557	2.67
2	139	5.33
3	62	8.00
4	35	10.67
5	22	13.33

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90


Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



00.	Push button and cables assembly for dimmer	RF27318
01.	Skynest Brick red led arm assembly	RF34721
02.	Led dimmer kit	RF34197
03.	Skynest Power Supply 100W 100-277V	RF33061
04.	Skynest Suspension Rose with Riveted Magnets Brick Red	RF34384

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF27318

Push button and cables assembly for dimmer



RF34721

Skynest Brick red led arm assembly



RF34197

Led dimmer kit



RF33061

Skynest Power Supply 100W 100-277V



RF34384

Skynest Suspension Rose with Riveted Magnets Brick Red

©2026 Flos - P.IVA 00290820174 - 10/31/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.