

UNFOLD PENDANT LAMP - US VERSION

FORM US WITH LOVE ON THE DESIGN "The industry lamp is a classic, and sought after design that we are excited to provide a new perspective on. The soft silicone rubber gives Unfold a modern and warm personality. It also enables the lamp to be folded into a neat package by a slight push on the top. Just open and unfold your new lamp."



32,5 cm 12.75''




3,5 cm / 1.5"

Ø || cm / 4.95







DESIGNED BY / YEAR OF DESIGN Form Us With Love / 2010

ABOUT THE DESIGNER

Form Us With Love is a multidisciplinary design and interior architecture studio from Stockholm. Their work has been awarded with several prestigious awards such as the Red Dot and the Young Swedish design award. Further accrediting the trio are successful exhibitions at venues like MoMA and the Swedish National Gallery.

CATEGORY

Pendant lamp

ENVIRONMENT

Indoor

DESCRIPTION

Unfold is an interpretation of the classic industry design and comes in a refined material that gives the lamp a modern and warm appearance.

PRODUCTION PROCESS

The shade is pressed in vulcanised rubber under high temperature. Diffuser and socket holder cut by laser. Extruded cord.

MATERIAL

Shade - silicone rubber, PVC cord. Diffuser clear frosted opal acrylic material.

CORD LENGTH

350 cm / 137.75''

BULB INCLUDED

CANOPY INCLUDED

Yes - White

DIMABLE FUNCTION

Yes

CLEANING AND CARE

Clean with soft dry/wet cloth. Always switch off the electricity supply before cleaning.

CNSI4335



UNFOLD PENDANT LAMP - US VERSION



LAMP RATING

Voltage Frequency IP Rating Classification Socket

I2OV 6OHz IP2O Class II I x E26 Max. 6OW Type A bulb Max. 2OW PL Lamp (self-ballasted); Type T Max. I8W LED bulb

BULB SPECIFICATION

No bulb included

GENERAL STANDARDS & CERTIFICATES

EU/UK	USA/CANADA	AUSTRALIEN/NEW ZEALAND	CHINA	EXTRA	
CE-LVD	UL	RCM	CCC	<u>Glow wire test</u>	
EN 60598-1:2008+All:2009	UL 1598	AS/NZS 60238:2007	GB7000. 201-2008	IEC 60695-2-10:2000	
EN 60598-2-1:1989	CAN/CSA C22.2 No. 250.0-08	GB7000. I-2007			
EN 62493:2010					
				Taiwan	
WEEE				BSMI	
_				CNSI4II5	
France				IEC6O598/2/4	

Erance COFRAC EN 60598-1:2008+A11:2009 EN 60598-2-1:1989

Μυυτο